

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1904	(709/201).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:21
L2	0	(709/102).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:21
L3	0	(709/101).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:21
L4	1255	((709/201).CCLS.) or ((709/102).CCLS.) or ((709/101).CCLS.)	USPAT	OR	OFF	2005/09/27 13:21
L5	1902	((709/201).CCLS.) or ((709/102).CCLS.) or ((709/101).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:22
L6	709	((709/201).CCLS.) or ((709/102).CCLS.) or ((709/101).CCLS.) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L7	0	((709/201).CCLS.) or ((709/102).CCLS.) or ((709/101).CCLS.) and (task with code with (instruction or cache))) and batch and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L8	12	((709/201).CCLS.) or ((709/102).CCLS.) or ((709/101).CCLS.) and (task with code with (instruction or cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L9	0	(data adj processing) and microprocessor and (instruction near3 cache) and (task with code) and (task with batch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22

L10	27	(data adj processing) and microprocessor and (instruction near3 cache) and (task with code) and batch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L11	1	(US-5727211-\$.did.	USPAT	OR	OFF	2005/09/27 13:22
L12	75	(tasks near3 ((different or types) and batch))	USPAT	OR	ON	2005/09/27 13:22
L13	1658	tasks with processed with loading with code instruction adj cache with execution	USPAT	OR	ON	2005/09/27 13:22
L14	0	tasks with processed with loading with code with (instruction adj cache) with execution	USPAT	OR	ON	2005/09/27 13:22
L15	0	tasks with processed with loading with code with (instruction adj cache) with execution	USPAT	OR	ON	2005/09/27 13:22
L16	1	tasks with code with (instruction adj cache) with execution	USPAT	OR	ON	2005/09/27 13:22
L17	0	tasks with order with loading with code with (instruction adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L18	1	tasks same order same loading same code same (instruction adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L19	4	tasks same order same code same (instruction adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L20	1	("5381546").PN.	USPAT; USOCR	OR	OFF	2005/09/27 13:22
L21	2	("0644484").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:22
L22	334	(load\$4 near3 code) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22

L23	60	task with type with batch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L24	3	(task with type with batch) with schedul\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L25	22	(task with type with batch) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L26	936	task with batch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L27	434	(task with batch) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L28	37	task with batch with determin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L29	11	(task with batch with determin\$5) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L30	0	task with type with batch with if	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L31	1190	microprocessor with cache with chip	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L32	274	(microprocessor with cache with chip) and (data adj processing)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L33	166	((microprocessor with cache with chip) and (data adj processing)) and @ad<="19990325"	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L34	201	microprocessor with cache with chip with (single or "same")	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22

L35	107	(microprocessor with cache with chip with (single or "same")) and @ad<="19990325"	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L36	5	(microprocessor with cache with chip with (single or "same")) same (data adj processing)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L37	38	((microprocessor with cache with chip with (single or "same")) and @ad<="19990325") and (data adj processing)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L38	123677	(data adj processing) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L39	0	((data adj processing) and @ad<="19990325") and (((portion or segment) near3 code) with atom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L40	52	atom\$5 with (code and task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L41	20	(atom\$5 with (code and task)) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L42	9	(task near3 batch) with (time or "same" or simultaneously) with schedul\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L43	2	((task near3 batch) with (time or "same" or simultaneously) with schedul\$5) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L44	25	(task near3 batch) with schedul\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L45	12	((task near3 batch) with schedul\$5) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22

L46	1	("20020138637").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 13:22
L47	2532	((optimiz\$6 efficien\$4) and cache).ab. and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L48	17	((((optimiz\$6 efficien\$4) and cache).ab. and @ad<="19990325") and batch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L49	5	(((((optimiz\$6 efficien\$4) and cache).ab. and @ad<="19990325") and batch) and tasks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L50	1	(batch with (task adj type)) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L51	48	((task with type) same batch) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L52	434	(tasks with batch) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L53	5	batch near3 before near3 task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L54	11	(US-6446034-\$ or US-6321297-\$ or US-5381546-\$ or US-5875464-\$ or US-6397117-\$ or US-6377996-\$ or US-6332167-\$ or US-6438573-\$ or US-5835763-\$).did. or (US-20010003187-\$ or US-20020023175-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/27 13:22

L55	2	((US-6446034-\$ or US-6321297-\$ or US-5381546-\$ or US-5875464-\$ or US-6397117-\$ or US-6377996-\$ or US-6332167-\$ or US-6438573-\$ or US-5835763-\$).did. or (US-20010003187-\$ or US-20020023175-\$).did.) and (identif\$6 with task)	USPAT	OR	ON	2005/09/27 13:22
L56	1088	(schedul\$5 adj tasks) and @ad<"19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L57	1	("5727211").PN.	USPAT; USOCR	OR	OFF	2005/09/27 13:22
L58	0	((("5727211").PN.) and (identif\$5 with task)	USPAT	OR	ON	2005/09/27 13:22
L59	1	((("5727211").PN.) and (schedul\$4 with task)	USPAT	OR	ON	2005/09/27 13:22
L60	1	((("5727211").PN.) and (queue)	USPAT	OR	ON	2005/09/27 13:22
L61	1009	batch with "same" with type	USPAT	OR	ON	2005/09/27 13:22
L62	260	batch with similar with type	USPAT	OR	ON	2005/09/27 13:22
L63	746	(batch with "same" with type) and @ad<"19990325"	USPAT	OR	ON	2005/09/27 13:22
L64	21	(batch with similar with type) and tasks	USPAT	OR	ON	2005/09/27 13:22
L65	208	(batch with similar with type) and @ad<"19990325"	USPAT	OR	ON	2005/09/27 13:22
L66	16	((batch with similar with type) and @ad<"19990325") and tasks	USPAT	OR	ON	2005/09/27 13:22
L67	13	((batch with similar with type) and @ad<"19990325") and schedul\$5	USPAT	OR	ON	2005/09/27 13:22
L68	0	(709/101).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:22
L69	0	((709/101).CCLS.) and @ad<="19990325"	USPAT	OR	ON	2005/09/27 13:22
L70	0	((709/101).CCLS.) and @ad<="19990325" and cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22

L71	0	((((709/101).CCLS.) and @ad<="19990325" and cach\$4) and tasks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L72	0	(((((709/101).CCLS.) and @ad<="19990325" and cach\$4) and tasks) and (tasks with batch\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L73	0	(((((709/101).CCLS.) and @ad<="19990325" and cach\$4) and tasks) and (tasks same batch\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L74	158	schedul\$5 and (tasks with batch\$4) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L75	56	(schedul\$5 and (tasks with batch\$4) and @ad<="19990325") and cach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L76	1	(US-5668993-\$).did.	USPAT	OR	OFF	2005/09/27 13:22
L77	1	((US-5668993-\$).did.) and task and cach\$4 and batch\$4 and (fine adj grain)	USPAT	OR	ON	2005/09/27 13:22
L78	2043	128\$1bit	USPAT	OR	ON	2005/09/27 13:22
L79	942	128\$1bit and counter	USPAT	OR	ON	2005/09/27 13:22
L80	99	128\$1bit same counter	USPAT	OR	ON	2005/09/27 13:22
L81	39	128\$1bit with counter	USPAT	OR	ON	2005/09/27 13:22
L82	4784	718/100-108.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L83	5675	(type category) with (tasks thread process) with batch	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L84	6	718/100-108.ccls. and @ad<="19990325" and ((type category) with (tasks thread process) with batch)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L85	0	(718/100-108.ccls. and @ad<="19990325" and ((type category) with (tasks thread process) with batch)) and cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L86	57633	(tasks thread process) with batch	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22

L87	20	((tasks thread process) with batch) and 718/100-108.ccls. and @ad<="19990325" and cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L88	3100	optimiz\$6 with cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L89	1	((((tasks thread process) with batch) and 718/100-108.ccls. and @ad<="19990325" and cache) and (optimiz\$6 with cache)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L90	1	(US-4633387-\$).did.	USPAT	OR	OFF	2005/09/27 13:22
L91	1	((US-4633387-\$).did.) and batch\$3	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L92	3708	(tasks thread process) with batch with ("same" similar)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L93	1966	((tasks thread process) with batch with ("same" similar)) and @ad<="19990325"	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L94	1802	batch with process\$3 with before	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L95	5	(((((tasks thread process) with batch with ("same" similar)) and @ad<="19990325") and (batch with process\$3 with before)) and cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L96	0	(((((tasks thread process) with batch with ("same" similar)) and @ad<="19990325") and (batch with process\$3 with before)) and 718/100-108.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L97	110	(((((tasks thread process) with batch with ("same" similar)) and @ad<="19990325") and (batch with process\$3 with before)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L98	367	(group\$3 batch\$3) with (tasks thread process) with cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L99	146	@ad<="19990325" and ((group\$3 batch\$3) with (tasks thread process) with cache)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L100	13	718/100-108.ccls. and (@ad<="19990325" and ((group\$3 batch\$3) with (tasks thread process) with cache))	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L101	1	("6078955").PN.	USPAT; USOCR	OR	OFF	2005/09/27 13:22
L102	7131	cache with (\$6processor CPU) with (circuit chip)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22

L103	1570	cache with (\$6processor CPU) with (circuit chip) with ("same" together single)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L104	761	@ad<="19990325" and (cache with (\$6processor CPU) with (circuit chip) with ("same" together single))	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L105	4230	(batch with (before first after) with process)	USPAT	OR	ON	2005/09/27 13:22
L106	2832846	@ad<="19990325"	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L107	16	("same" with (code instructions) with (group\$3 batch\$3) with task)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L108	22	((("same" match\$3 equal) with (code instructions) with (group batch\$3) with task)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L109	8	((("same" match\$3 equal) with (code instructions) with (group batch\$3) with task)) and @ad<="19990325"	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L110	3845	(batch\$3 group\$3) with ("same" equal) with code	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L111	8	(batch\$3 group\$3) with ("same" equal) with code with task	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L112	9	(batch\$3 group\$3) with ("same" equal) with code with task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L113	2	((batch\$3 group\$3) with ("same" equal) with code with task) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L114	4709	(batch\$3 group\$3) with ("same" equal) with code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L115	11	(batch\$3 group\$3) with ("same" equal) with code with cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L116	4	((batch\$3 group\$3) with ("same" equal) with code with cach\$3) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22

L117	66	(batch\$3 group\$3) with ("same" equal) with (instruction code) with cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L118	38	@ad<="19990325" and ((batch\$3 group\$3) with ("same" equal) with (instruction code) with cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L119	9	(@ad<="19990325" and ((batch\$3 group\$3) with ("same" equal) with (instruction code) with cach\$3)) and tasks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L120	29	(@ad<="19990325" and ((batch\$3 group\$3) with ("same" equal) with (instruction code) with cach\$3)) and (threads process tasks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L121	29	@ad<="19990325" and ((@ad<="19990325" and ((batch\$3 group\$3) with ("same" equal) with (instruction code) with cach\$3)) and (threads process tasks))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L123	7	((batch\$3 group\$3) with (("same" equal) adj (instruction code))) same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L124	5	@ad<="19990325" and (((batch\$3 group\$3) with (("same" equal) adj (instruction code))) same cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L125	731	(tasks thread) and (cache with ("same" identical equal match\$3) with (code instruction)) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L126	731	(tasks thread) and (cache with ("same" identical equal match\$3) with (code instruction) with cach\$3) and @ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L127	668	((tasks thread) and (cache with ("same" identical equal match\$3) with (code instruction) with cach\$3) and @ad<="19990325") and task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22

L129	24	((tasks thread) and (cache with ("same" identical equal match\$3) with (code instruction) with cach\$3) and @ad<="19990325") and task) and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L130	1	((US-5745778-\$).did.) and (fit cach\$3)	USPAT	OR	ON	2005/09/27 13:22
L131	1	((US-5745778-\$).did.) and (break\$3 resum\$3 point)	USPAT	OR	ON	2005/09/27 13:22
L132	17645156	@ad<="19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L134	3	(batch\$3 with ("same" similar identical) with (code instruction)) same cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L135	0	L134 and L132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:22
L136	3	(batch\$3 with ("same" similar identical) with (code instruction)) same cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L139	30	(batch\$3 with (code instruction)) same cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L140	12	L139 and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L142	126	out with sequen\$5 with order with (cache batch)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:22
L143	65	L132 and L142	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L144	11	(out adj3 sequen\$5 near3 order) with (cache batch)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L145	9	L144 and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L146	4	L145 and (cache with ("same" similar identical))	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L147	1	L145 and (cache with (batch\$3 group\$4))	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L148	297	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) near3 code) with cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23

L149	3	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) near3 code) with cache with (group\$3 batch\$3)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L150	0	L149 and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L151	22	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) near3 code) with cache) same (group\$3 batch\$3)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L152	0	L151 and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L153	115	L148 and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L154	3	L153 and batch	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L155	15	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) near3 code) with cache) with (task type)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L156	8	L155 and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L157	115	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) near3 code) with cache) and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L158	1	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) near3 code) with cache with task) and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L159	25	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) with code with type with task) and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L160	1	((common similar "same" identical like alike comparable equal duplicate corresponding equivalent related) with code with type with task) same cache) and L132	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L161	1	(US-5745778-\$).did.	USPAT	OR	OFF	2005/09/27 13:23
L162	1	L161 and sequential	USPAT	OR	OFF	2005/09/27 13:23

L163	1	("5778434").PN.	USPAT	OR	OFF	2005/09/27 13:23
L164	347	"same" with thread with code	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L165	2832846	@ad<="19990325"	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L166	95	L164 and L165	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L167	0	L166 and "718"/\$1-108.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L168	34	L166 and 718/1-108.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L169	244	"same" near2 (thread and code)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L170	20	L169 and L165 and 718/1-108. ccls.	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L171	3	L170 and batch\$3	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L172	1	(US-5778434-\$).did.	USPAT	OR	OFF	2005/09/27 13:23
L173	1	L172 and schedul\$4	USPAT	OR	ON	2005/09/27 13:23
L174	12748	(queue group\$4 batch\$3) with (task)	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L175	2	(batch\$3 near3 task) with cache	US-PGPUB; USPAT	OR	ON	2005/09/27 13:23
L176	2387	((like "same" similar common) near3 (type code task instruction)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L177	24317	(portion partition segment block divid\$4 break) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L178	1733	L176 and L177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L179	17645156	@ad<="19990325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L180	10061	cache near3 (hit ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L181	959	L178 and L180	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L182	496	L179 and L181	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L183	6041	(break\$4 divid\$4 split\$4 partition\$4) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L184	33201	cache.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L185	357	L182 and L184 and L179	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L186	16	L185 and (breakpoint (break adj point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L187	7111	(group\$4 combin\$4 batch\$4) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L188	151	L185 and L187	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L189	1433	(portion partition segment block divid\$4 break) with cache with (group\$4 combin\$4 batch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L190	45	L185 and L189	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L191	317	batch\$4 with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L192	153	L184 and L191	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L193	67	L192 and L179	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L194	709	butterworth.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L195	24	(butterworth and henry).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L196	38896	(task batch cache).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L197	6	L195 and L196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L198	8	type with batch with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L199	17645156	@ad<="19990325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L200	3	(tasks near3 grouped) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L201	337	grouped with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L202	33201	cache.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L203	317	batch\$4 with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L204	153	L202 and L203	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L205	2387	((like "same" similar common) near3 (type code task instruction)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L206	24317	(portion partition segment block divid\$4 break) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L207	1733	L205 and L206	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L208	10061	cache near3 (hit ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L209	959	L207 and L208	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L210	496	L199 and L209	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L211	357	L210 and L202 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L212	7111	(group\$4 combin\$4 batch\$4) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L213	67	L204 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L214	151	L211 and L212	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L215	14	L214 and 711/125.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L216	36	(like "same" similar common) with batch\$4 with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L217	34	(like "same" similar common) with batch\$4 with \$2cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L218	7	L216 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L219	17	((like "same" similar common) near3 (classif\$6)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L220	195	((like "same" similar common) near3 (classif\$6) sorting) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L221	82	L220 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L222	0	L215 and L221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L223	82	L220 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L224	1366	((like "same" similar common) with (group\$4)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L225	522	L224 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L226	253	L225 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L227	9	(tasks with batch\$4) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L228	117	(tasks with batch\$4) with (like similar common equal "same")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L229	26931	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L230	5180	718/1-108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L231	31598	L229 L230	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L232	19	L228 and L231	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L233	14	L232 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L234	1	(US-5668993-\$).did.	USPAT	OR	OFF	2005/09/27 13:23
L235	1	L234 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L236	107	(fine adj grain) and tasks and batch and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L237	5	L236 and L229	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L238	1	(US-5668993-\$).did. and batch	USPAT	OR	ON	2005/09/27 13:23
L239	225	(queue with ("same" similar match\$4 identical common equal) with (tasks instruction code)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L240	125	L199 and L239	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L241	9	(queue with ("same" similar match\$3 identical common equal) with (tasks instruction code) with (insert\$3 add\$3 enqueue\$3)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L242	0	(queue with ("same" similar match\$3 identical common equal) with (tasks) with (insert\$3 add\$3 enqueue\$3)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L243	3	(queue with ("same" similar match\$3 identical common equal) with (tasks instruction code) with (insert\$3 add\$3 enqueue\$3)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L244	9	(add\$3 insert\$3 enqueue\$3) with (similar identical common "same") with queue with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L245	407	(similar identical common "same") with queue with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L246	127	L245 and L231 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L247	123	L246 and L229	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L248	123	L245 and L229 and L199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L249	4572	cache with (group batch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L250	1956	cache near3 (group batch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L251	43	L230 and L250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L252	16	L199 and L251	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L253	3	(((like "same" similar common) near3 (code)) with cache) with (group batch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L254	305	cache with batch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L255	21	L254 and L199 and L231	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L256	1092	cache with fit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L257	6041	(break\$4 divid\$4 split\$4 partition\$4) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L258	26931	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L259	325	L256 and L257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L260	173	L258 and L259	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L261	17638732	@ad<"19990325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L262	76	L260 and L261	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L263	46	(tasks near3 (break\$4 divid\$4 split\$4 partition\$4)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L264	2	L256 and L263	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L265	6	(load\$3 with (group\$3 batch\$3) with task) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L266	158	(load\$3 with task) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L267	64	(load\$3 with tasks) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:23
L268	1	L256 and L267	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:23
L269	11	L258 and L261 and L267	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:23
L270	10879	task with (group\$4 batch\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L271	24	(fit\$3 near3 task) with (memory load\$3 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L272	10185	(tasks with (break\$4 divid\$4 split\$4 partition\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L273	1532	L270 and L272	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L274	0	L271 and L273	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L275	50	L258 and L273	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L276	29	L261 and L275	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L277	33	(task adj type) with (load\$4 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L278	10	L277 and L261	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23

L279	33	(task adj type) with (load\$4 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L280	614	((complet\$4 full\$3 partial\$4) near3 load\$4) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L281	26	(determin\$4 evaluat\$3) with ((complet\$4 full\$3 partial\$4) near3 load\$4) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L282	8	L281 and L261	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
L283	709	butterworth.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:29
L284	1333	718/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:29
L285	1211	711/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:30
L286	302	711/125.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:30